

Modelling approaches for simple dynamic networks and applications to disease transmission models

Istvan Z. Kiss ^{1,*}, Luc Berthouze ², Timothy J. Taylor ^{1,2} & Péter L. Simon ³

July 19, 2011

¹ School of Mathematical and Physical Sciences, Department of Mathematics, University of Sussex, Falmer, Brighton BN1 9QH, UK

² Centre for Computational Neuroscience and Robotics, University of Sussex, Falmer, Brighton BN1 9QH, UK

³ Institute of Mathematics, Eötvös Loránd University Budapest, Budapest, Hungary

* corresponding author
email: i.z.kiss@sussex.ac.uk

Abstract

In this paper a random link activation-deletion (RLAD) model is proposed that gives rise to a stochastically evolving network. This dynamic network is then coupled to a simple (*SIS*) dynamics on the network and the resulting spectrum of model behaviour is explored via simulation and a pairwise model for dynamic networks. First, the dynamic network model is systematically analysed by considering link-type independent and dependent network dynamics coupled with globally constrained link creation. Finally, a pairwise model is proposed and used to study the interplay between *SIS*-type dynamics on the network and link-type dependent activation-deletion. Assumptions of the pairwise model are identified and their implications interpreted in a way that complements our current understanding. Furthermore, we also discuss how the strong assumptions of the closure relations can lead to disagreement between the simulation and pairwise model. Unlike on a static network, the resulting spectrum of behaviour is more complex with the prevalence of infections exhibiting not only a single steady-state but also bistability and oscillations.

Keywords: dynamic network, birth-and-death process, Markov Chain, epidemic, ODE, pairwise model, bifurcation

1 Introduction

Many real-world systems ranging from neuroscience and epidemiology to computer sciences and socioeconomics can be represented as well defined units interacting via a static or dynamic set of links or connections, e.g., [12, 21, 19, 3]. The wide applicability of networks as a modelling tool has captured the attention of many different research communities and has led to the development of a large body of research at the interface of network/graph theory, stochastic processes, probability theory, discrete mathematics and computer sciences [2, 14]. Initially, most of the research concentrated on the structure and properties of real-world networks and aimed to understand and uncover the laws that gave rise to the observed or empirical networks. In parallel a different research direction emerged, namely, the study of how the properties and structure of the network impact on the dynamical processes taking place on it (e.g. flow of information on the WWW, disease transmission on social networks, self organization of neurons). While earlier research focused on the dynamics or evolution of networks [4, 5] without considering the dynamical processes they support, latter research considered fixed and static networks and mainly focused on the dynamics on networks. However, in many cases considering both the dynamics of the network and on the network is essential to understand the problem that is being modelled, but, doing so raises several challenges. Firstly, capturing and modelling the interaction between the two dynamics is non-trivial with little empirical evidence and second, the increased complexity reduces analytical tractability with results mainly relying on simulation.

Over the last few years various simple classes of models have been proposed where both the dynamics of the network and on the network are considered [7]. For example, Saramäki & Kaski [16] proposed a model where nodes are distributed on a ring and links are divided into short-range (SR) and long-range (LR) links. SR links are considered to be fixed and connect nodes to their nearest neighbours. LR links vary randomly, meaning that an infected node tries to infect with some probability a node chosen at random and succeeds to do so if the chosen individual is susceptible. The authors formulated a simple ODE model that is similar to pairwise models and used this to derive analytic results for disease transmission threshold and to validate simulation results.

Thilo et al. (2006) [8] proposed a network-based model where (*SI*) links are broken at a certain rate with susceptible nodes immediately re-wiring to other susceptible nodes chosen at random from the entire population. Again, a simple pairwise type model was used to derive a low dimensional dynamical system that describes the interaction of network and disease dynamics. This model operates on the strong assumption that the status of each node is globally available. Risau-Gusman & Zanette (2009) [15] relaxed the assumptions of the model proposed by Thilo et al. and considered the case when the susceptible node from an (*SI*) pair re-wires to a node chosen at random from the entire network regardless of its state. They generalised the model further and considered the case where not only susceptible nodes are allowed to change their contacts but also the infectious nodes can do so. In this model, when an *SI* link is cut, the *I* node will reconnect with probability q to a node chosen

at random and independently of its state, and with probability $1 - q$ the susceptible node will keep the contact and look to reconnect at random. Both papers use pair-approximation models to validate simulation results.

Grindrod and Higham (2010) [6] proposed two simple models of undirected evolving graphs by starting from the complete state space \mathcal{S} with $\mathcal{S} = 2^{N(N-1)/2}$ possible elements or different graphs over N nodes. With this in place, the evolution of a graph can be represented as a path in the state space \mathcal{S} governed by some stochastic process $P(G_{i+1}|G_i, G_{i-1}, \dots)$, where G_i is the state of the graph, represented as a symmetric adjacency matrix, at discrete time step i . While this formulation is exact and can be extended to continuous time, the drawback of this approach comes from the large number of transition probabilities for time independent processes (i.e. $2^{N(N-1)}$) or the Kolmogorov transition equations (i.e. $2^{N(N-1)/2}$). The authors proposed an edge birth and death model where each edge can become activated or deleted at a fixed probability that is independent of all other edges or the current state of the graph. They extended this to a more sophisticated model where link activation and deletion depends on some form of proximity between edges as given by the initial setup of the nodes (e.g. fixed location on a line with nodes connected according to some connectivity kernel). The aim of their study was twofold: first to use such models to simulate a series of dynamic or evolving networks and second, to fit evolving network models to data and use likelihood-based estimation of model parameters.

In this paper, we consider a set of simple dynamic networks based on the simple link birth-and-death or activation-deletion model, and also a variant of this, where link birth/activation is globally constrained. The aims of the paper is to investigate the impact of these simple network dynamics on the structure of the network when node dynamic is absent and when the nodes are static but labeled. This is achieved by using the exact formulation in terms of Markov Chains and Kolmogorov equations and a mean-field type approach with further results from simulation. Furthermore, the dynamic network is coupled with *SIS* (susceptible-infectious-susceptible) node dynamics and a pairwise and simulation model is used to investigate and characterise the full spectrum of behaviour. In this case, the agreement between simulation and pairwise model is discussed in detail. This is done by giving some new insight into how the assumptions of the pairwise model can be interpreted and how the strong assumptions of the closure relation can lead to disagreement between the two models. Parameter regimes where agreement is excellent are identified, however, many open questions remain regarding the exact relation between simulation results and output from the pairwise model.

2 Simple models of stochastically evolving networks

In this Section, the impact of simple network dynamics on the structure and properties of the network is explored. We present different modelling techniques to derive exact or approximation models and compare these to simulation results. Two simple network dy-

namics are considered: **(a)** Random Link Activation-Deletion (RLAD) whereby non-active or non-existing links are activated with a given rate (e.g. α) while existing ones are deleted with some other rate (e.g. ω) and **(b)** Globally-constrained RLAD whereby the above link creation process is constrained globally, i.e. the higher the number of active links the lower the rate at which new links are activated. Initially, the simple *dynamics of the network* are studied without considering any *dynamics on the network* or any link activation or deletion that may depend on node labels.

2.1 Random link activation-deletion: probabilistic approach

Let us consider an undirected and unweighted network with N nodes where the maximum number of edges is $M = N(N-1)/2$. The dynamics of edges evolve according to the following two simple rules. Non-active or absent links are activated independently at random at rate α while existing links are broken independently at random at rate ω . Let $(X(t))_{t \geq 0}$ be an integer valued random variable that represents the number of edges/links in the network at time t . If $P(X(t) = k) = p_k(t)$ then the Kolmogorov equations for p_k are given by

$$\frac{dp_k(t)}{dt} = \alpha[(M - (k - 1))p_{k-1}(t) - [\alpha(M - k) + \omega k]p_k(t) + \omega(k + 1)p_{k+1}(t), \quad (1)$$

where $k = 0, 1, 2, \dots, M$ with corresponding modifications for $k = 0$ (no link deletion) and $k = M$ (no link activation). The average number of edges in the graph at time t can be defined as $K_1(t) = \sum_{k=0}^M k p_k(t)$. Upon using Eq. (1) and after some simple algebra, the equation for $K_1(t)$ follows easily and is given by

$$\dot{K}_1(t) = \sum_{k=0}^M k \dot{p}_k(t) = \alpha M - (\alpha + \omega) K_1(t). \quad (2)$$

Hence, at equilibrium

$$K_1^{eq} = \frac{\alpha M}{\alpha + \omega}.$$

The equilibrium value can also be found heuristically by determining the number of edges K_1^{eq} at which the total rate of link activation ($\alpha(M - K_1^{eq})$) is balanced by the total rate of link deletion (ωK_1^{eq}). For this setup, the average number of links per node or average node degree is given by

$$\langle k \rangle(t) = \frac{2 \sum_{k=0}^M k p_k(t)}{N} = \frac{2K_1(t)}{N}.$$

A traditional and commonly used method to determine the probability distribution as given by the forward Kolmogorov equations above (Eq. (1)) is via the probability generating function (PGF) technique. This is defined as

$$G(t, s) = \sum_{k=0}^M p_k(t) s^k, \quad (3)$$

where s is a placeholder variable that allows to concentrate all the information about the probability distribution into one single function. Multiplying Eq. (1) by s^k , followed by summation for $k = 0, 1, \dots, M$ and some simple calculations gives rise to the following partial differential equation

$$\frac{\partial G(t, s)}{\partial t} = (1 - s)(\alpha s + \omega) \frac{\partial G(t, s)}{\partial s} - \alpha M(s - 1)G(t, s), \quad (4)$$

$$G(0, s) = s^{m_0} \quad \text{for } (t, s) \in [0, \infty) \times (0, 1), \quad (5)$$

where the initial condition corresponds to starting with m_0 edges (i.e. $p_{m_0}(0) = 1$ and $p_k(0) = 0$ for $\forall k \in \{0, 1, 2, \dots, M\} \setminus \{m_0\}$). This is a first-order homogeneous partial differential equation that can be solved using the method of characteristics and its solution is given by

$$G(t, s) = \left(\frac{\omega + \alpha s + \omega(s - 1)e^{-(\alpha + \omega)t}}{\omega + \alpha s + \alpha(1 - s)e^{-(\alpha + \omega)t}} \right)^{m_0} \left(\frac{\omega + \alpha s + \alpha(1 - s)e^{-(\alpha + \omega)t}}{\alpha + \omega} \right)^M. \quad (6)$$

From the equation above, $K_1(t)$, the expected number of edges in the network is given by $\frac{\partial G(t, 1)}{\partial s}$, and in the limit of $t \rightarrow \infty$, $K_1(t)$ tends to its equilibrium value defined as

$$K_1^{eq} = \lim_{t \rightarrow \infty} \frac{\partial G(t, 1)}{\partial s} = \frac{\alpha M}{\alpha + \omega}. \quad (7)$$

Moreover for $t \rightarrow \infty$

$$G(t, s) \rightarrow \left(\frac{\alpha}{\alpha + \omega} s + \frac{\omega}{\alpha + \omega} \right)^M, \quad (8)$$

which is the generating function of the binomial distribution with M trials and a per-trial probability of success $p = \alpha/(\alpha + \omega)$. The excellent agreement between the exact model and simulation is shown in Fig. 1(a), and confirms that the formulation of the two models is correct and consistent. The number of equations in the exact model scale as $O(N^2)$ which restricts its applicability to small networks.

2.2 Random link activation-deletion: mean-field approach

To overcome the limitations of the exact model and to gain more insight into the properties or structure of the network a different modelling approach is presented below. Here, the network is considered as a population of nodes where nodes can be classified according to their number of links/contacts and the rates of moving to either more highly or less well connected classes. Hence, the modelling relies on deriving evolution equations for the number of nodes with degree $0, 1, 2, \dots, N - 1$. Let n_k denote the number of nodes with k contacts where $0, 1, 2, \dots, N - 1$. Based on simple heuristic reasoning the evolution equations for n_k s are given by

$$\frac{dn_k(t)}{dt} = \alpha[(N - 1) - (k - 1)]n_{k-1}(t) - \{\alpha[(N - 1) - k] + \omega k\}n_k(t) + \omega(k + 1)n_{k+1}(t). \quad (9)$$

This approach is similar to compartmental models where, in this case, transitions between compartments represent link gain or link loss. Solving the equations above provides information about the number of nodes with different connectivity but does not test whether such a network is realisable. This bears strong similarities to some modelling approaches where networks are simply considered in terms of nodes and their stubs but without being connected up in a coherent network ([1, 13]). The linear system of ordinary differential equations lends itself to some simple analysis. The rates matrix is of particular interest as this determines the eigenvalues (λ_j) and the corresponding eigenvectors (s_j), where $j = 0, 1, \dots, N - 1$, that are used to construct the solution of the system. The solution of the system in terms of these is given by

$$n(t) = \sum_{j=0}^{N-1} c_j s_j \exp(\lambda_j t),$$

where $c_j s$ are some arbitrary constants. Due to the special structure of the rates matrix, all eigenvalues but one have negative real parts. The single eigenvalue with a non-zero real part is in fact a zero eigenvalue. Hence, when $t \rightarrow \infty$, the solution of Eq. (9), $n(t) = (n_0(t), n_1(t), \dots, n_{N-1}(t))$ tends to the eigenvector associated with the 0 eigenvalue times some constant, $n(t) \rightarrow C s_0$ when $t \rightarrow \infty$. It is easy to show analytically that

$$s_0^j = \binom{N-1}{j} \left(\frac{\alpha}{\alpha + \omega} \right)^j \left(\frac{\omega}{\alpha + \omega} \right)^{N-1-j} \quad \text{for } j = 0, 1, \dots, N - 1$$

. This is equivalent to the binomial distribution with $N - 1$ trials and a per trial probability of success given by $\alpha/(\alpha + \omega)$. This is further illustrated in Fig. 1(b) where the degree distribution, for large time, is plotted for different $\langle k \rangle$ values. Again, the agreement of the mean-field model with simulation is excellent, and confirms that, as expected, the simple RLAD model leads to simple Erdős-Rényi type networks.

2.3 Globally-constrained RLAD: probabilistic approach

Both real and theoretical networks are usually sparsely connected with $\langle k \rangle \ll N$ and thus with $M \ll N(N - 1)/2$. In this sub-section, the simple RLAD model is extended to account for this general network feature. To do this, a carrying capacity (K_1^{max}) that can limit link activation is included in the RLAD model. Following the same notation as above, the globally-constrained RLAD (GC-RLAD) model leads to the following equations

$$\frac{p_k(t)}{dt} = \alpha[(M - (k - 1)) \left(1 - \frac{k - 1}{K_1^{max}} \right) p_{k-1}(t) - [\alpha(M - k) \left(1 - \frac{k}{K_1^{max}} \right) + \omega k] p_k(t) + \omega(k + 1) p_{k+1}(t)], \quad (10)$$

where $k = 0, 1, 2, \dots, M$ with obvious modifications for $k = 0$ and $k = M$. Using a similar approach as above, the equation for $K_1(t)$, the average number of edges in the graph at time

t , is given by

$$\dot{K}_1(t) = \alpha M - \left(\alpha + \frac{\alpha}{K_1^{max}} M + \omega \right) K_1(t) + \frac{\alpha}{K_1^{max}} K_2(t), \quad (11)$$

where $K_2(t) = \sum_{k=0}^M k^2 p_k(t)$ is the second moment of the edge number distribution at time t . This equation cannot be solved directly since it involves the second moment of the edge distribution and an equation for this is needed. As an alternative to this exact approach, we consider the most obvious and simplest approximation whereby $K_2(t) = K_1^2(t)$. The following theorem shows that this approximation becomes exact in the limit of $M \rightarrow \infty$.

Theorem 1 *For the solution K_1^* of Eq. (11) upon substituting $K_2(t)$ by $K_1^2(t)$ the following statement holds. Provided that K_1^{max}/M remains constant as $M \rightarrow \infty$, then for any $T > 0$ there exists a constant $C > 0$ such that*

$$|K_1(t) - K_1^*(t)| \leq \frac{C}{M} \quad \text{for } t \in [0, T],$$

where $K_1(t) = \sum_{k=0}^M k p_k(t)$.

The proof of the Theorem is rather technical and it will be presented in a more wider context as part of an additional paper. However, Fig. 2(a) confirms our statement and shows the excellent agreement between the exact and the approximation model even for small networks where M is also small. Using this result, a quadratic equation for the edge value at equilibrium ($K_1^{*,eq}$) follows easily,

$$K_1^{*,eq} = \frac{M}{2} \left[\left(1 + \frac{K_1^{max}}{M} \left(1 + \frac{\omega}{\alpha} \right) \right) \pm \sqrt{\left(1 + \frac{K_1^{max}}{M} \left(1 + \frac{\omega}{\alpha} \right) \right)^2 - 4 \frac{K_1^{max}}{M}} \right]. \quad (12)$$

While both solutions are positive, the smaller of the two can be confirmed as the correct equilibrium value given that the number of edges in the network cannot be larger than the carrying capacity. In the case of $K_1^{max} = M$ our argument follows immediately.

2.4 Globally-constrained RLAD: mean-field approach

Following the same considerations as for the RLAD model and using the same notation, the globally-constrained RLAD at the node level is characterised by the following equations

$$\begin{aligned} \frac{dn_k(t)}{dt} &= \alpha[(N-1) - (k-1)] \left(1 - \frac{e(t)}{K_{max}} \right) n_{k-1}(t) - \{ \alpha[(N-1) - k] \left(1 - \frac{e(t)}{K_{max}} \right) \\ &+ \omega k \} n_k(t) + \omega(k+1) n_{k+1}(t), \end{aligned} \quad (13)$$

where $e(t)$ is given by

$$e(t) = \frac{1}{2} \sum_{k=0}^{N-1} kn_k(t).$$

In Fig 2(b), we show that the mean-field approach can again be used to successfully predict the degree distribution of the network, and as before, networks based on the GC-RLAD dynamics are randomly connected with binomial distribution. However, in this case the good agreement with the binomial distribution is difficult to prove analytically directly from Eq. (13).

3 Simple stochastically evolving networks in the presence of node labelling

The network dynamics so far has only been considered without the dynamics on the network and independently of node and/or link type. To explore the full impact of the dynamics on the network it is advisable that a step-by-step approach is taken as proposed by Thilo et al. [8]. First, the impact of network dynamics can be investigated independently of node and/or link characteristics which could either be imposed externally and be static or be dynamic as a result of a separate dynamics running on the network. Second, the network dynamics based on static node/edge labelling can be investigated, and finally, the impact of coupling the dynamics of the network with the dynamics on the network needs to be considered. In the latter and most interesting case, the state of the nodes will have an impact on the network dynamics and *viceversa* (e.g. breaking susceptible-infected links impacts on the networks with the converse also being true; neuronal activation impacts on networks through experience-dependent plasticity and vice-versa).

3.1 *SI* labelling

Be it disease or information transmission, the manipulation of networks via preferential node/link addition and/or deletion provides a powerful mechanism to influence and optimise processes unfolding on the network. For example, disease transmission can be slowed or halted if links between susceptible and infected individuals are cut fast enough [8]. Using the analogy of simple epidemic models, such as the susceptible-infected-susceptible model, nodes are labelled at random as *S* or *I*. In the spirit of the network dynamics so far, all pair types can be activated or deleted at random with pair-type dependent rates. The rates at which *SS*, *SI* and *II* links are activated are denoted by α_{SS} , α_{SI} and α_{II} , respectively. Similarly, ω_{SS} , ω_{SI} and ω_{II} represent the rates at which *SS*, *SI* and *II* links are deleted. These labels are permanent and do not change during the evolution of the network. In this case, the Kolmogorov equations can be written down but are far more complicated compared to the previous cases. The state space is now given in terms of three variables,

namely the counts of the various link types $\{SS\}$, $\{SI\}$ and $\{II\}$. These take values from 0 to $\{S\}(\{S\} - 1)$, $\{S\}\{I\}$ and $\{I\}(\{I\} - 1)$, respectively, where $\{S\}$ and $\{I\} = N - \{S\}$ are the initial number of nodes labelled S and I . It is more practical to use the mean-field approach and write down ODEs for the number of different pair types. For brevity, only the equations for the globally constrained case are given,

$$\begin{aligned} \frac{n_{SS}(t)}{dt} &= \alpha_{SS}[\{S\}(\{S\} - 1) - n_{SS}(t)] \left(1 - \frac{e(t)}{K}\right) \\ &\quad - \omega_{SS}n_{SS}(t), \end{aligned} \quad (14)$$

$$\begin{aligned} \frac{n_{SI}(t)}{dt} &= \alpha_{SI}[\{S\}\{I\} - n_{SI}(t)] \left(1 - \frac{e(t)}{K}\right) \\ &\quad - \omega_{SI}n_{SI}(t), \end{aligned} \quad (15)$$

$$\begin{aligned} \frac{n_{II}(t)}{dt} &= \alpha_{II}[\{I\}(\{I\} - 1) - n_{II}(t)] \left(1 - \frac{e(t)}{K}\right) \\ &\quad - \omega_{II}n_{II}(t), \end{aligned} \quad (16)$$

where $e(t)$ is given by

$$e(t) = \sum_{k=0}^{N-1} k (n_{SS}(t) + 2n_{SI}(t) + n_{II}(t))$$

and represents the number of doubly counted edges. It is worth noting that here n_{AB} (where $A, B \in \{S, I\}$) stands for doubly counted edges (i.e. a single SS pair counts for two SS edges in n_{SS}). Similarly, the carrying capacity K needs to be understood as such. The expected number of pairs at equilibrium ($SS_{eq}, SI_{eq}, II_{eq}$) are given as the solutions of the following simple equations,

$$\alpha_{SS}[\{S\}(\{S\} - 1) - SS_{eq}] \left(1 - \frac{e_{eq}}{K}\right) = \omega_{SS}SS_{eq}, \quad (17)$$

$$\alpha_{SI}(\{S\}\{I\} - SI_{eq}) \left(1 - \frac{e_{eq}}{K}\right) = \omega_{SI}SI_{eq}, \quad (18)$$

$$\alpha_{II}[\{I\}(\{I\} - 1) - II_{eq}] \left(1 - \frac{e_{eq}}{K}\right) = \omega_{II}II_{eq}, \quad (19)$$

where

$$e_{eq} = SS_{eq} + 2SI_{eq} + II_{eq}$$

and $\{S\}(\{S\} - 1)$, $\{S\}\{I\}$ and $\{I\}(\{I\} - 1)$ are constants determined by the initial number of S and I s. These equations allow us to find the equilibrium values at which the total rate of link activation equals the total rate of link deletion. The following Proposition shows that the solution of Eqs. (17-19) is unique.

Proposition 1 *The system given by Eqs. (17-19) has a unique solution given as*

$$SS_{eq} = \frac{K_1 y}{A_1 + y}, \quad SI_{eq} = \frac{K_2 y}{A_2 + y}, \quad II_{eq} = \frac{K_3 y}{A_3 + y},$$

where

$$K_1 = \{S\}(\{S\} - 1), \quad K_2 = \{S\}\{I\}, \quad K_3 = \{I\}(\{I\} - 1),$$

$$A_1 = K \frac{\omega_{SS}}{\alpha_{SS}}, \quad A_2 = K \frac{\omega_{SI}}{\alpha_{SI}}, \quad A_3 = K \frac{\omega_{II}}{\alpha_{II}}$$

and y is the unique root of the function

$$h(y) = \frac{K_1 A_1}{A_1 + y} + \frac{2K_2 A_2}{A_2 + y} + \frac{K_3 A_3}{A_3 + y} - y + K - (K_1 + 2K_2 + K_3)$$

in the interval $[0, K]$. Finding the solution of the equation $h(y) = 0$ reduces easily to finding the root of a fourth degree polynomial.

PROOF: Multiplying Eqs. (17-19) by K/α_{SS} , K/α_{SI} and K/α_{II} , respectively, and introducing the following new notations

$$x_1 = SS_{eq}, \quad x_2 = SI_{eq}, \quad x_3 = II_{eq}, \quad y = K - (x_1 + 2x_2 + x_3),$$

allows us to recast Eqs. (17-19) as follows,

$$x_1 = \frac{K_1 y}{A_1 + y}, \quad x_2 = \frac{K_2 y}{A_2 + y}, \quad x_3 = \frac{K_3 y}{A_3 + y}.$$

Substituting these expressions into the definition of y and using that

$$\frac{K_i y}{A_i + y} = K_i - \frac{K_i A_i}{A_i + y},$$

the following equation for y is obtained

$$\frac{K_1 A_1}{A_1 + y} + \frac{2K_2 A_2}{A_2 + y} + \frac{K_3 A_3}{A_3 + y} - y + K - (K_1 + 2K_2 + K_3) = 0.$$

This shows that y is a root of function h . It is easy to see that h is a decreasing function, hence it has at most one root. Moreover, $h(0) = K > 0$ and $h(K) < 0$, since $\frac{K_i A_i}{A_i + K} < K_i$. Therefore h has a unique root in the interval $[0, K]$.

□

It is important to note that if the network dynamics is not globally constrained, Eqs. (17-19) decouple and each equilibrium value can be found based on results from the non-constrained random link creation-deletion case. The excellent agreement between the theoretical equilibrium, as defined above, and simulation is illustrated in Fig. 3.

4 Interaction of network and disease dynamics: pairwise model and simulation

4.1 Pairwise model formulation and its bifurcation analysis

In this section the dynamics of network and the simple *SIS* (susceptible-infected-susceptible) dynamics are studied concurrently using individual-based stochastic simulations and a low-dimensional pairwise model. In line with the standard pairwise models [11, 18], we can now heuristically write down equations for the rate of change of individuals and pairs for the dynamic network as follows,

$$\frac{d[I]}{dt} = \tau[SI] - \gamma[I], \quad (20)$$

$$\begin{aligned} \frac{d[SI]}{dt} &= \gamma([II] - [SI]) + \tau([SSI] - [ISI] - [SI]) \\ &\quad - \omega_{SI}[SI] + \alpha_{SI}((N - [I])[I] - [SI]), \end{aligned} \quad (21)$$

$$\frac{d[II]}{dt} = -2\gamma[II] + 2\tau([ISI] + [SI]) - \omega_{II}[II] + \alpha_{II}([I] - 1)[I] - [II], \quad (22)$$

$$\frac{d[SS]}{dt} = 2\gamma[SI] - 2\tau[SSI] - \omega_{SS}[SS] + \alpha_{SS}((N - [I])(N - [I] - 1) - [SS]), \quad (23)$$

where τ is the rate of infection across an (*SI*) link and γ is the rate of recovery. The system of equations is complemented by theoretical initial conditions or taken as expected counts from the simulation model. Triples are closed according to the simple closure given by

$$[ABC] = \frac{n-1}{n} \frac{[AB][BC]}{[B]},$$

where n is the average number of links per node. This closure implicitly assumes that the precise type of nodes (e.g. *S* or *I*) around a node in state *B* are independent. This type of closure is widely used for homogeneous random graphs [9, 11] with no clustering and also for unclustered random graphs with close to Poisson degree distribution [20]. The equations above account for link activation-deletion and, without any further constraints, have been made dependent on the type of link being activated/deleted (e.g. α_{ab} with $a, b \in \{S, I\}$). Activation/deletion is present in terms such as $\alpha_{SI}((N - [I])[I] - [SI])$ and $\omega_{SI}[SI]$, where $(N - [I])[I] - [SI]$ is simply the count of potential (*SI*) type links that are not yet connected.

The resulting closed system is four dimensional and lends itself to standard bifurcation analysis to determine all possible steady states and their stability as a function of the model parameters. Using the parametric representation method (PRM) [17], a more rigorous approach used to investigate global bifurcations, four different regimes are identified (see Fig. 4). The analysis shows that the interaction of network and disease dynamics leads to a spectrum of behaviours ranging from a single stable disease-free steady state to stable oscillations. More precisely there are three types of bifurcations. First, a transcritical bifurcation

where the disease-free steady state loses stability with the disease becoming established and thus giving rise to a stable endemic equilibrium. Second, a saddle-node bifurcation which gives rise to the co-existence of two stable equilibria (one being disease-free and the other endemic) with an unstable equilibrium, and finally, a Hopf bifurcation, where the stable endemic equilibrium loses its stability and gives rise to a stable limit cycle. From a disease control viewpoint, of main interest is the region above the transcritical and saddle-node bifurcation curves. In these regions, only the disease-free equilibrium is stable and this indicates that the deletion or breaking of ω_{SI} curtails the spread of the epidemic and leads to a desirable disease-free steady state. As expected, the regions where different model behaviours are observed can vary and depend on model parameters. For example, in Fig. 4, the region of bistability is small compared to the Hopf island that covers a considerable part of the parameter space. This case was chosen to illustrate a range of potential outcomes and the reach behaviour of a relatively simple model that can lead to outcomes other than a stable disease-free or stable endemic state, as in the case of the simple *SIS* model on a static network.

Due to the dynamic nature of the network, the average degree of the nodes (i.e. n as given in the triple closure) is a variable itself and changes with time. Hence, the analysis above performed for a fixed n serves only as an indicator of possible system behaviours but can give good results if n is a slow variable where for example the network dynamics is much slower compared to the epidemic or if n does not vary considerably. We also note that n only enters via the $(n - 1)/n$ term which for realistic networks that are well connected is close to one. For dynamic networks with type dependent rates of link activation and deletion, the average degree of a susceptible node can be different to that of infective nodes. It is therefore more appropriate to use the following triple closure

$$[ABC] = \frac{n_B - 1}{n_B} \frac{[AB][BC]}{[B]},$$

where n_B is the average degree of a node of type B . Replacing n by $n_S(t) = ([SS] + [SI])(t)/S$ in the ODE prevents the straightforward derivation of analytical results but allows for fast numerical exploration of the parameter space to identify different possible model outcomes. If in good agreement with simulation, the ODE provides a simple and easy way to explore the full spectrum of behaviour for a large number of parameters, a problem that is extremely difficult to tackle via simulation alone.

4.2 Comparison of pairwise model to simulation: a general consideration

In formulating such a low-dimensional model, the immediate key question is whether such a simple system can approximate, at least qualitatively, results obtained from the simulation model. The answer to this question depends strongly on the network structure, the type of

dynamics and how the proposed closure performs when these factors combine. An important observation that is generally valid for all pairwise models with the known closures is that terms such as $-\tau[SI]$ are exact. Thus, the network structure and the formation of correlations as measured by $C_{AB} = N[AB]/(n[A][B])$, where $A, B \in \{S, I\}$, should be conserved. However, the evolution equation for $[SI]$ relies on the exact expectation of triples which is approximated by the closure and thus is not exact. We note that values of the correlation measure close to one indicate that the true expected number of pairs is close to the value obtained in the case where nodes are labeled at random as S and I rather than as a result of the dynamics unfolding on the network. The strong assumption of independence in the closure leads to a closed ODE system that dissipates the true correlations to some degree but, not completely. This argument follows simply from considering a simpler closure at the pair level, i.e. $[SI]$ can be approximated by $[SI] = n[S][I]/N$. This obviously removes all correlations and gives rise to a system that is equivalent to the mean-field SIS model. Using the closure at the level of triples, rather than pairs, will conserve some of the correlations at pair level, however, a deviation from the simulation model is unavoidable. To shed some further light on the impact of closure it is important to make a distinction between whether nodes are labeled at random as S and I or whether (SS) , (SI) and (II) links are placed at random to form a labeled graph. Nodes labeled at random will lead to all pair correlation being close to one, $C_{AB} = N[AB]/(n[A][B]) \simeq 1$, where $A, B \in \{S, I\}$, in which case the triples can be counted in terms of singles as follows

$$[ABC] = \frac{n(n-1)[A][B][C]}{N^2}.$$

This in turn is equivalent to the closure in terms of pairs. The main difference between the two closures is that the first, more realistic one, allows for pair correlations that are different from one, and thus not random, while keeping the distribution of links random. Thus, the first closure can accommodate more realistic scenarios where non-random pair correlation and random link distribution can coexist. For the agreement between simulation and ODE to hold we can give the following sufficient conditions:

1. $C_{AB} = N[AB]/(n[A][B]) \simeq 1$, where $A, B \in \{S, I\}$,
2. $[ABC] = \frac{(n-1)[AB][BC]}{n[B]}$ holds and the pair correlation can differ from one, $C_{AB} \neq 1$, where $A, B, C \in \{S, I\}$,

where the first implies the second but not *vice-versa*.

The conditions above are rather strong and are easily violated even for simple static networks where the ODE model with an even more sophisticated closure [9] will fail to match the outcome of simulation as shown by Taylor et al. [20]. However, these conditions are not necessary to get good agreement. Even when the second condition is not fulfilled (i.e. $[ABC] \neq \frac{(n-1)[AB][BC]}{n[B]}$) it is still possible to get reasonably good agreement over time in the expected number of infecteds as illustrated in Fig. 5.

Our discussion of the results and agreement between the two models will revolve around the arguments presented above and the concept of *preferential link or edge dynamics*. These will be used to underpin our explanation of results from model comparisons. Preferential link dynamics is a direct result of the model ingredients which allows us to tune link activation and deletion such that certain type of links can be over- or under-represented compared to a random link distribution scenario. Moreover, this means that nodes of certain type preferentially connect to nodes of similar or different nature leading to non-trivial correlation structures on the network. This alone can explain why the ODE with the triple approximation cannot capture such type of correlation structures on the network. In extreme cases this can be easily illustrated by regimes where the graph breaks down into sub-graphs that are dominated by either S or I nodes and where these sub-graphs can be close to fully connected or with no edges. For example, if out of all link activation-deletion rates only ω_{SS} and α_{II} are non-zero, while keeping all the other zero, it is straightforward to obtain a regime where the network over time is such that S nodes are isolated and lose all their links while the I nodes tightly cluster into an almost completely connected graph. In cases such as these the ODE will fail to capture the true dynamics due to the isolation of susceptibles.

While correlations will not necessarily invalidate the agreement between the two models we identify them as an important factor in determining whether the two models will agree. Other important factors can contribute to whether good agreement is observed. For example, the parameter values could be such that an initially unclustered network may become clustered with higher link density and in this case the assumptions of the simple closure will break down. The effect of clustering however can be counteracted by the network becoming even more densely connected, at which point the mean-field limit can be approached.

4.3 Regimes of good agreement between pairwise model and simulation

Good agreement between pairwise model and simulation would demonstrate that the ODE model can be used as an effective tool to investigate possible model outcomes. In what follows, we identify parameter sets where such agreement an agreement exists for the coupled dynamics case. The results are based on extensive individual-based stochastic network simulations for a large selection of different parameter combinations.

The degree to which preferential link creation can be captured by the ODE depends on the parameter values. As expected when all link activation-deletion rates are not type dependent (i.e. $\alpha_{SS} = \alpha_{SI} = \alpha_{II}$ and $\omega_{SS} = \omega_{SI} = \omega_{II}$) the agreement between ODE and simulations is excellent as illustrated in Fig. 6 for a range of different parameter values. In this regime the assumption of independence of links of the triple closure performs even better than on a static network as the random breaking and creating of links helps to dissipate some of the high correlation in triplets (e.g. $[III]$) observed with SIS type dynamics. Random activation-deletion helps to decrease the building of correlation in the network that may

otherwise invalidate the independence assumption.

Good agreement between the two models also holds for parameter values that are much different from the equal activation and deletion rates scenario. Fig. 7 shows that agreement can also be found for more realistic parameter values where for example, efforts to control a disease may require a higher ω_{SI} rate compared to other link deletion rates. In such situations however, care has to be taken since the agreement depends on whether the precise parameter values will lead to moderate correlations or correlations that can be captured by the ODE model.

Finally, in Fig. 8 the bistability regime is illustrated for both simulation and the ODE model. We note that the networks resulting from the coupled dynamics on the upper branch have on average 6 nodes that become isolated. As expected, the ODE cannot capture this but, we can take this into account by decreasing population size from $N = 100$ to $N = 94$. This results in excellent agreement between the two models. The plots in Fig. 8 have been obtained via continuation method where the steady state obtained at a value τ_0 of the transmission rate is used as the initial condition for a new set of simulations with a smaller value of the transmission rate, i.e. $\tau_0 - \delta\tau$. This approach has also been used with the full set of ODEs with time dependent average connectivity $n(t)$. The qualitative agreement is good and highlights that the pairwise model can be used as an exploratory tool when mapping out full system behaviour. This is especially useful where models with many parameters make this exploration almost impossible via simulations alone.

5 Discussion

The paper set out to carry out a systematic analysis of a model where network dynamics is coupled with a simple disease dynamics model. Network dynamics is based on link activation and deletion that can depend on link type. A step-by-step approach has been taken where the network dynamics has been modeled and studied in isolation, without disease dynamics, and then in presence of node labeling that was stationary in time. The key result is the analysis of the pairwise ODE model and its comparison to simulation where both network and disease dynamics act concurrently. Different modeling approaches have been proposed, discussed and their performance relative to each other has been investigated. The models studied have ranged from exact stochastic models based on Kolmogorov equations and simple low dimensional ODE models to simulation with often good agreement between complex simulations and ODE models. We have highlighted that approximate ODE models are desirable as they are more easily tractable compared to simulation and can be used as a more rigorous tool to investigate the full spectrum of behaviour, especially when faced with more complicated models with a large number of parameters.

Pairwise models have been developed in the context of static networks with applications in epidemiology and ecology. This approach has been generalised to dynamic networks coupled with simple epidemics and have been shown to have the potential to be a useful

modelling tool that complements simulation models and aids analysis. However, many open problems remain regarding the validity of these simple ODE models when compared to full simulation. To date there is no coherent framework with theoretical results where for example the convergence, in some appropriate limit, of the simple ODE models to simulation is formalised. This holds even for the static network case where the need for such developments has been highlighted [10]. In our particular case, there are many parameter regimes where agreement between the ODE model and simulation is good. These include for example regimes where either of the two dynamics is fast or slow compared to the other. This time-scale separation reflects that when considered separately, the ODE model tends to perform better. Furthermore, if the parameters are such that the system is dominated by nodes in either susceptible or infected state, then the agreement is again good given that many of the link activation and deletion processes are dormant. Hence, the dynamics of the network is predominantly governed by the creation and deletion of a unique link type, i.e., non-preferential link dynamics.

As previously highlighted, and also confirmed here, the interaction of the two dynamical process can lead to networks that are either highly clustered, display some specific structure or are fragmented in sub-networks dominated by S or I nodes even with some being completely isolated. Obviously in such cases the current pairwise model will fail to approximate the simulation correctly but alternatives models, more sophisticated pairwise or other type of models that keep track of the number of links or even the type of neighbours a node has [13] may prove to give a more satisfactory result. Such models could better capture the correlations driven by preferential link dynamics, heterogeneity in node degree or other node, pair or larger scale property, that cannot be captured by the basic pairwise model.


Acknowledgements

Istvan Z. Kiss acknowledges support from EPSRC (EP/H001085/1). Timothy Taylor is funded by a PGR studentship from MRC, and the Departments of Mathematics and Informatics at Sussex University. Péter L. Simon acknowledges support from OTKA (grant no. 81403). Funding from the European Union and the European Social Fund is also acknowledged (financial support to the project under the grant agreement no. TÁMOP-4.2.1/B-09/1/KMR.).


References

- [1] F. Ball & P. Neal 2008. Network epidemic models with two levels of mixing. *Math. Biosci.* 212, 69-87.
- [2] R. Albert & A.-L. Barabási 2002. Statistical mechanics of complex networks, *Rev. Mod. Phys.* 74, 47-97.
- [3] A. Broder, R. Kumar, F. Maghoul, P. Raghavan, S. Rajagopalan, R. Stata, A. Tomkins & J. Wiener 2000. Graph structure in the Web, *Comput. Netw.* 33, 309-320.
- [4] D.Y.C. Chan, B.D. Hughes, A.S. Leong & W.J. Reed 2003. Stochastically evolving networks, *Phys. Rev. E.* 68, 066124.
- [5] S.N. Dorogstev & J.F.F. Mendes 2002. Evolution on networks, *Adv. Phys.* 51, 1079.
- [6] P. Grindrod & D.J. Higham 2010. Evolving graphs: dynamical models, inverse problems and propagation, *Proc. Roy. Soc. A* 466, 753-770.
- [7] T. Gross & B. Blasius 2008. Adaptive coevolutionary networks: a review, *J. Roy. Soc. Interface* 5, 259-271.
- [8] T. Gross, C.J. Dommar D'Álima & B. Blasius 2006. Epidemic dynamics on an adaptive network, *Phys. Rev. Lett.* 96, 208701.
- [9] T. House & M. J. Keeling 2010. The impact of contact tracing in clustered populations, *PLoS Computational Biology* 6:3 e1000721.
- [10] T. House & M. J. Keeling 2011. Insights from unifying modern approximations to infections on networks, *J. Roy. Soc. Interface* 8, 67-73.
- [11] M.J. Keeling 1999. The effects of local spatial structure on epidemiological invasions, *Proc. R. Soc. Lond. B* 266, 859-867.
- [12] G. Kossinets & D.J. Watts 2006. Empirical analysis of an evolving social network, *Science* 311, 88-90
- [13] J. Lindquist, J. Ma, P. van den Driessche & F.H. Willeboordse 2011. Effective degree network disease models, *J. Math. Biol.* 62, 143-164.
- [14] M.E.J. Newman 2003. The structure and function of complex networks, *SIAM Rev.* 45, 167-256.
- [15] S. Risau-Gusman & D.H. Zanette 2009. Contact switching as a control strategy for epidemic outbreaks, *J. Theor. Biol.* 257, 52-60.

- [16] J. Saramäki & K. Kaski 2005. Modelling development of epidemics with dynamic small-world networks, *J. Theor. Biol.* 234, 413-421.
- [17] P.L. Simon, H. Farkas & M. Wittmann 1999. Constructing global bifurcation diagrams by the parametric representation method, *J. Comp. Appl. Math.* 108, 157-176.
- [18] P.L. Simon, M. Taylor & I.Z. Kiss 2011. Exact epidemic models on graphs using graph-automorphism driven lumping. *J. Math. Biol.* 62, 479-508.
- [19] O. Sporns 2011. The human connectome: a complex network. *Ann. N. Y. Acad. Sci.* 1224(1), 109-125.
- [20] M. Taylor, P. L. Simon, D. M. Green, T. House & I. Z. Kiss 2011. From Markovian to pairwise epidemic models and the performance of moment closure approximations, Accepted for publication in *J. Math. Biol.* and available at <http://www.maths.sussex.ac.uk/cgi-bin/World/preprints/contents.cgi?id=116>.
- [21] M.C. Vernon & M.J. Keeling 2009. Representing the UK's cattle herd as static and dynamics network, *Proc. Roy. Soc. B* 276, 469-476.




(a)




(b)

Figure 1: (a) Time evolution of $\langle k \rangle$ given by Eq. (2) (solid line, Kolmogorov model) compared to simulation (\circ). (b) Degree distribution at equilibrium as given by Eq. (9) (continuous, mean-field model) compared to simulation (\circ). Results from the mean-field model are identical to the binomial distribution $\text{Bin}(N-1, \frac{\langle k \rangle}{N-1} = \frac{\alpha}{\alpha+\omega})$. For both (a) and (b), $\omega = 1$ and α is set to obtain the desired average degree at equilibrium. All simulations start from a completely sparse graph with $N = 100$.



(a)



(b)

Figure 2: (a) Time evolution $\langle k \rangle$ given by Eq. (10) (solid line, Kolmogorov model) compared to the approximation obtained from Eq. (11) (\circ). Here, $N = 50$. (b) Degree distribution at equilibrium based on Eq. 13 (thick grey line, mean-field model) compared to simulation (\circ) and to the binomial distribution $\text{Bin}(N - 1, \frac{\langle k \rangle}{N-1})$ (solid black line) with $N = 100$. For both (a) and (b), $\omega = 1$, $K_1^{max} = M$ and α set to obtain the desired average degree at equilibrium. All simulations start from a completely sparse graph.




Figure 3: The time evolution of the number of (SS), (SI) and (II) pairs from simulation compared to analytic equilibrium values ((SS) -continuous, (SI)-dashed and (II) - dotted) predicted by the mean-field model. All simulations start from a completely sparse graph with $N = 100$ and with 80% of nodes labelled initially as S . The other parameters are $\alpha_{SS} = \alpha_{SI} = \alpha_{II} = 0.317$ and $\omega_{SS} = \omega_{SI} = \omega_{II} = 1.0$.




Figure 4: Bifurcation diagram showing the full possible spectrum of behaviour. The parameter space is divided into four distinct regions as follows: the disease-free is the only stable equilibrium (above the transcritical and saddle-node bifurcation curves), two stable (disease-free and endemic) and one unstable equilibria with non-zero infectious prevalence (between the transcritical and saddle-node bifurcation curves), one unstable (disease-free) and a stable endemic equilibria (below the transcritical curve and outside the Hopf bifurcation island), and finally, Hopf island with a stable limit cycle and unstable disease-free and endemic equilibria. Parameter values are as follows: $N = 100$, $n = 10$, $\alpha_{SS} = 0.004$, $\alpha_{SI} = 0.005$, $\alpha_{II} = 0$, $\omega_{SS} = 0.005$, $\omega_{II} = 0$ and $\gamma = 1.0$.




Figure 5: Results from the average of 100 realisations on networks of size $N = 100$ with an initial average degree $\langle k \rangle = 10$, and corresponding output from the ODE model (simulation results - black line, ODE - red line). The other parameter values are $\gamma = 0.05$, $\tau = 0.025$, $\omega_{SI} = 0.5$, $\omega_{SS} = 0.5$, $\omega_{II} = 0.5$, $\alpha_{SI} = 0.02$, $\alpha_{SS} = 0.02$ and $\alpha_{II} = 0.02$. The networks were seeded with 10 infectious nodes. The prevalence of infection is plotted over time (a), and the true expected number of triples from the simulation is compared to the approximate value of triples from the closure with singles and pairs taken from the ODE (b).




Figure 6: Results from the average of 50 realisations on networks of size $N = 100$ with an initial average degree $\langle k \rangle = 10$, and corresponding output from the ODE model for various values of τ (simulation results - (Δ , \square , \circ), ODE - solid lines). The other parameter values are $\gamma = 1.0$, $\omega_{SS} = \omega_{SI} = \omega_{II} = 0.5$. The blue, black and red lines correspond to all α s being equal to 0.06, 0.04 and 0.02, respectively. The networks were seeded with 20 infectious nodes. The prevalence from the ODE is plotted after 200 time units and the simulation results are normalised from time 160 to 200, this is a region where the average prevalence settles to a steady state.




Figure 7: Results from the average of 100 realisations on networks of size $N = 100$ and initial average degree $\langle k \rangle = 10$. The other parameter values are $\gamma = 0.2$, $\tau = 0.1$, $\omega_{SI} = 0.5$, $\omega_{SS} = 0.3$, $\omega_{II} = 0.6$, $\alpha_{SI} = 0.03$, $\alpha_{SS} = 0.04$ and $\alpha_{II} = 0.03$. The networks were seeded with 20 infectious nodes. The inset shows the good agreement in the average degree of the evolving network.




Figure 8: Results based on simulation and pairwise model showing bistability. The upper branch (\circ) obtained using the continuation method on networks of size $N = 100$ and 50 realisations. The solid black line and grey lines are the corresponding results based on the pairwise model for $N = 100$ and $N = 94$, respectively. The lower branch from the simulation (red dots) and the continuation from the upper branch (\circ) all show zero prevalence. Results from the ODE also predict zero prevalence and are omitted to increase clarity. When tracing out the upper branch via simulation, only epidemics that did not become extinct have been considered (unless all died out). For a large enough value of τ , the lower branch will eventually move away from the zero prevalence state. The parameter values are $\langle k \rangle = 10$ (for the starting network and on the lower branch), $\omega_{SS} = 2.0$, $\alpha_{II} = 0.06$, $\gamma = 1.0$ with all other rates set to zero. The upper and lower branches were seeded with 50 and 5 infectives, respectively.